

Health Promoting Foliar Nutrient

GUARANTEED ANALYSIS 0-0-15

Soluble Potash (K ₂ O).....	15.0%
Soluble Manganese (Mn).....	0.1%
0.1% chelated manganese	
Soluble Zinc (Zn).....	0.1%
0.1% chelated zinc	

Maximum chlorine (Cl) in this product is 0.3% Derived from potassium carbonate, manganese EDTA, zinc EDTA.
Wt/Gal: 10.69 Lb/Gal @ 68 F. 1.28 Kg per Ltr @ 20 C

GENERAL INFORMATION


K-BOOST is a proprietary formulation of high quality potassium carbonate, sea plant extract of *Ascophyllum Nodosum* and chelated zinc and manganese. K-BOOST is further enhanced with biological stimulators including amino acid, enzymes, organic complexing agents and natural plant extracts. The potassium in K-BOOST activates plant enzymes essential for plant growth. Potassium promotes much of the osmotic "pull" that draws water into the plant roots. Plants that have sufficient potassium are more able to withstand water stress and drought.

Plant scientists have long recognized that potassium is essential in building plant health including strengthening cell walls, regulating transpiration of water throughout plant tissues and acting as a catalyst for other nutrients in the plant and the soil. Plants with sufficient amounts of potassium found in K-BOOST have shown to better resist bacterial and fungal diseases and are less susceptible to insects and mites. Potassium carbonate is known to have a low salt index, making it exceptionally safe for foliar application on sensitive crops.

CONDITIONS OF SALE

Always follow all directions. The manufacturer cannot control weather conditions, methods of application nor the condition of the crop at time of application. Buyer assumes all risks of use, storage or handling of this product when used in a manner inconsistent with label directions.

SPECIMEN LABEL



APPLICATION INFORMATION

When applied by concentrate or dilute ground sprayers, use with a minimum of 15 gallons of water per acre. When used in aerial applications, use at least 5 gallons of water per acre. Control drift of this or other agricultural sprays.

Alfalfa, Cotton, Corn, Barley, Hops, Grain, Turf, Spearmint and Peppermint:

Apply 1 to 4 pints per acre per application. First application should be at 3 to 4 inches of new growth. Additional applications may be made every 2 to 4 weeks thereafter or as needed.

Beans, Beets, Broccoli, Carrots, Cauliflower, Celery, Cucumbers, other Cucurbits

Garlic, Lettuce, Leafy Vegetables, Melons, Onions, Peas, Peppers, Row Crops, Spinach, Strawberries, Tomatoes and other vegetables..

Apply K-BOOST at a rate of 2 to 4 pints per acre per application. Apply the first application after transplanting or thinning. Apply one to two subsequent applications at ten to fifteen day intervals or as needed to meet nutritional needs.

Blueberries, Cranberries, Cane Berries:

Apply 1 to 4 pints per acre per application, beginning at pre-bloom. Additional applications may be made every 3 to 4 weeks thereafter or as needed.

Citrus and Avocados, Tree Fruit and Nut Crops:

Apply 2 to 4 pints per acre per application, beginning at pre-bloom and additional applications at two to four week intervals or as needed to meet nutritional requirements.

Grapes: Apply 1 to 4 pints per acre per application. Apply first application at pre-bloom with subsequent applications at two to four week intervals or as needed to meet nutritional requirements.

Potatoes, Sweet Potatoes and other tuber crops:

Apply 1 to 4 pints per acre per application. Apply every eleven to thirty days as needed to meet nutritional requirements.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Do not contaminate water, food or feed by storage or disposal. Follow all governmental procedures for the disposal of all spray solutions. Dispose of containers in accordance with local regulations.

Information regarding the content and level of metals in this product is available by calling (800) 355-4457.

MANUFACTURED BY:
CUSTOM AG FORMULATORS, INC.
P.O. BOX 26104, FRESNO, CA 93729

Net Contents:

Net Wt:

Lot #: