

F2875 **3-0-0**

Nitrogen (N)	3.0%
3.0% Urea Nitrogen	
Boron (B)	5.0%
Molybdate (Mo)	0.5%
Derived from urea, sodium molybdate, and boric acid. Also co	
amino acids, fulvic acids, and plant extracts.	

Density: 9.56 lb/gal @ 68°F | 1,146 g/L @ 20°C

GENERAL INFORMATION: BO-MO X-TRA is designed as a foliar spray on tree, row and field crops. It can also be used as a soil-applied product on various soil types. This product, as a foliar spray, has an acid pH.

COMPATIBILITY: BO-MO X-TRA is compatible with most commonly used pesticides. Always check for compatibility.

CAUTION:

This product contains Boron. Use of this product on any crops other than those recommended may result in serious injury to the crop(s). This product contains Molybdenum (Mo) in amounts that may result in forage crops which are toxic to ruminant animals.

DIRECTIONS FOR USE:

RATES:

SOIL APPLICATION: Apply 4-20 ounces per acre. Rate will depend upon level of deficiency. It is recommended that soil or tissue samples be performed to determine the deficiency.

FOLIAR APPLICATION: Apply alone or with other foliar sprays at a rate from 4-20 ounces per acre. Rate will depend upon level of deficiency. It is recommended that soil or tissue samples be performed to determine the deficiency.

CONDITIONS OF SALE: Follow directions carefully. Timing and methods of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

WARNING



PRECAUTIONARY STATEMENTS

WARNING Hazardous to humans and animals. Causes eye and skin irritations. Ingestion may cause nausea. When mixing or applying agricultural sprays, always wear spray goggles and impervious gloves plus protective clothing as recommended on pesticide labels.

FIRST AID

If this product gets into the eyes, immediately wash the eyes with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower lids. Obtain immediate medical treatment. If this product gets on the skin, immediately wash the contaminated area. Seek medical attention if skin irritation persists. If this product has been swallowed and the person is conscious, immediately give large volumes of water. Do not induce vomiting. Seek immediate medical attention.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Follow all governmental procedures for the disposal of pesticide spray solutions. Rinse container, empty rinsate into spray tank. Dispose of empty container according to approved local practices.

MANUFACTURED BY: CUSTOM AG FORMULATORS TX INC 4611 TRAVIS ST, UNIT 803A, DALLAS TX 75205